


1. Approving Civil Aviation Authority / Country Transport Canada		2. AUTHORIZED RELEASE CERTIFICATE FORM ONE			3. Work Order Number 17111
4. Organization Name and Address SELECT HELICOPTER SERVICES LTD. 105-151 COMMERCIAL DRIVE KELOWNA BC V1X 7W2 CANADA				5. Customer Ref, R/O, P/O 10557B.3	
6. Item 1	7. Description HYDRAULIC ACTUATOR	8. Part No. 212-076-005-007	9. Quantity 1	10. Serial/Batch No. 1627ACEF	11. Status/Work OVERHAULED
12. Remarks OVERHAULED PER WHRT 67-31-06, REV. 15. TSO 0:00 HRS, TSN 7756:25 HRS. CF-95-20R1(2) (ASB 212-95-98, REV. A) BOLT INSPECTION. NO FAULT FOUND. AD 2001-08-04 ROD-END LOCK INSTALLED. EASA APPROVAL NUMBER EASA.145.7268					
13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in condition for safe operation <input checked="" type="checkbox"/> Non approved design data specified in block 12			14a. <input checked="" type="checkbox"/> CAR 571.10 Maintenance Release <input checked="" type="checkbox"/> Other regulation specified in block 12 Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12, has been performed in compliance with the Canadian Aviation Regulations.		
13b. Signature		13c. Approved Organization Number		14b. Signature  AMO 92-04 SHSL	
13d. Name		13e. Date (dd/mmm/yyyy)		14c. Approved Organization Number TC AMO 92-04	
				14d. Name M. Luksts	
				14e. Date (dd/mmm/yyyy) 19/Jan/2018	

30 Dec 2008(Previously form 24-0078)

Installer Responsibilities

This certificate does not constitute authority to install.

Installers working in accordance with the national regulations of a country other than the authority specified in Block 1, must ensure that their regulations recognize certifications from the country specified.

Statements 13a or 14a do not constitute installation certification. In all cases, the aircraft technical record must contain an installation certification issued in accordance with the applicable national regulations before the aircraft may be flown.

NOMENCLATURE HYDRAULIC CYL. ASSY.
 PART NUMBER 212-076-005-007
 SERIAL NUMBER 1627ACEF
 PAGE _____ OF _____

HISTORICAL SERVICE RECORD

INSTALLATION DATA						FOR	REMOVAL DATA				
DATE	INSTALLED ON A/C NO.	BY (ACTIVITY)	INSTALLED AT		COMPONENT HOURS/RIN		<input type="checkbox"/> O/H	DATE	REMOVED AT		REASON FOR REMOVAL
					SINCE NEW	SINCE O/H	<input type="checkbox"/> RETIRE				
			A/C HOURS	COMP. HRS. HRS	COMP. HRS. HRS	AT	A/C HOURS		SINCE NEW	SINCE O/H	
			A/C RIN	RIN	RIN	A/C RIN DATE	A/C RIN		COMP. HRS. HRS	COMP. HRS. HRS	
					7756:25	0:00					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

COMPONENT TOTAL TIME / RIN	DESCRIPTION OF WORK ACCOMPLISHED HISTORY OF INSPECTION, OVERHAUL, REPAIR AND APPLICATION OF TECHNICAL BULLETIN, SERVICE BULLETIN, AIRWORTHINESS DIRECTIVES, ETC.	SIGNATURE AFFIRMS WORK PERFORMED IN ACCORDANCE WITH APPLICABLE AIRWORTHINESS STANDARD		
		SIGNATURE	CERT. NO	DATE
7756:25	OVERHAULED PER WHRT 67-31-06, REV. 15, TSO 0:00 HRS. SHSL W/O #17111. CF95-20R1(2) BOLT INSPECTION . NO FAULT FOUND. AD 2001-08-04 ROD-END LOCK INSTALLED.	<i>M. Subels</i>	AMO 92-04	19-JAN-18

REFER TO APPLICABLE AD's AND THE AIRCRAFT MAINTENANCE MANUAL FOR AIRWORTHINESS LIMITATIONS

